



Edge protection for cut-out sections

Flexiform edge protection is used to protect cables and wires routed through sharp-edged cut-out sections.


Features and Benefits

- Very flexible
- Easily and securely applied without adhesives
- Provides effective, orderly-looking protection
- Flexiform G51P made of polyethylene offers general purpose edge protection
- Flexiform G51N made of PA6 offers very good abrasion resistance
- Flexiform G51T made of PTFE offers excellent resistance to high temperatures and most chemicals



Optimal protection of cables and wires at panel edges.

Flexiform G51P polyethylene grommet strip



| | |
|------------------------------|-------------------|
| MATERIAL | Polyethylene (PE) |
| Operating Temperature | -30 °C to +80 °C |
| Flammability | UL94 HB |



| TYPE | Panel Thickness | Width (W) | Width (W2) | Height (H) | Height (H2) | Material | Colour | Pack Cont. | Article-No. |
|--------|-----------------|-----------|------------|------------|-------------|----------|--------------|------------|-------------|
| G51PAA | 0.4 - 0.9 | 2.3 | 0.9 | 2.7 | 1.8 | PE | Natural (NA) | 25 m | 251-10009 |
| G51PA | 0.4 - 1.3 | 3.9 | 1.5 | 4.3 | 2.7 | PE | Natural (NA) | 25 m | 251-10109 |
| G51PB | 1.3 - 2.1 | 4.6 | 2.4 | 4.3 | 2.7 | PE | Natural (NA) | 25 m | 251-10209 |
| G51PC | 2.1 - 3.3 | 5.7 | 3.5 | 4.3 | 2.7 | PE | Natural (NA) | 25 m | 251-10309 |
| G51PD | 3.3 - 4.8 | 8.4 | 5.1 | 6.2 | 4.3 | PE | Natural (NA) | 25 m | 251-10409 |
| G51PE | 4.8 - 6.5 | 9.9 | 6.7 | 6.4 | 4.5 | PE | Natural (NA) | 25 m | 251-10509 |
| G51PF | 6.5 - 8.1 | 11.4 | 8.3 | 6.8 | 4.8 | PE | Natural (NA) | 25 m | 251-10609 |
| G51PG | 8.1 - 9.7 | 13.2 | 10.1 | 6.8 | 4.8 | PE | Natural (NA) | 25 m | 251-10709 |
| G51PH | 9.7 - 12.9 | 16.4 | 13.2 | 6.8 | 4.8 | PE | Natural (NA) | 25 m | 251-10809 |

All dimensions in mm. Subject to technical changes. Minimum Order Quantity (MOQ) may differ from package content.
Flexiform grommet strips are not self-adhesive and therefore not suitable for outer edges.