




AELLED/WL/CW

Elite LED 33W - Cool White



Features

Dual purpose design allows installation in either an uplight or downlight orientation

Comparable to 2x24W PL-L

Adjustable tiltable installation bracket

LED lifespan L70 50,000 hours

Triac dimmable as standard

General Information

Lamp Type	LED
Colour / Finish	White
IP Rating	IP20
Class Protection	1
Internal / External	Internal
Surface / Recessed / Suspended	Surface
LED Life	L70 50,000hrs
Warranty (Years)	5
CE Mark	Yes
Length (mm)	270
Width (mm)	140
Depth (mm)	175

Technical Information

Wattage	33W
Lumens Delivered	2549lm
Lm/W	77lm
Beam Angle	75
CRI	Ra 90
CCT	4000K
Input	230V
Hertz	50Hz
Operating Temp	0°C to 25°C

Technical Data - ETIM 6 - Ceiling-/wall luminaire (EC002892)

Suitable for wall mounting	Yes
Suitable for surface mounting	Yes
With light source	Yes
Lamp power at multiwatt	Not applicable
Control gear included	Yes
Type of dimming	Other
Suitable for emergency lighting	No
Nominal voltage	230-230 V
Colour temperature	4000-4000 K
Colour housing	White
Beam angle	Wide beam 41-80°
Length	270 mm
Width	175 mm
Height/depth	36 mm
With movement sensor	No
With light sensor	No
Protection class	I
Degree of protection (IP)	IP20
Ambient temperature	0-25 °C
Max. system power	33 W
Rated luminous flux acc. IEC 62722-2-1	2549 lm
Colour of light	White
Colour rendering index CRI	90-100

Datasheet generated from <https://www.electrika.com> last updated Friday, June 7, 2019 12:33:40 PM

