



Fuse-link, low voltage, 400 A, AC 415 V, BS88/B3, BS88/B4, 38 x 136 mm, gL/gG, BS

ED400

Product name	Eaton Bussmann series low voltage British standard fuse	
Part no.	ED400	
EAN	5027590019002	
Product Length/Depth	136 millimetre	
Product height	39 millimetre	
Product width	38 millimetre	
Product weight	298 gram	
Compliances	CE Marked RoHS Compliant	
Certifications	EAC BS88 IEC 60269	
Product Tradename	None	
Product Type	Low voltage British standard fuse	
Product Sub Type	None	
Amperage Rating	400 A	
Voltage rating	415 V	
Voltage type	AC	
Breaking capacity	80 kA	
Class	Class gG/gL	
Application	general industrial applications	
Fuse type	ED	
Fuse size	BS88/B3 BS88/B4	
Fitted with:	Centre bolted tags	
Connection	111 mm fixing centre	

Technical data ETIM 8.0

Circuit breakers and fuses (EG000020) / HRC fuse (EC004556)		
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts / Safety fuse inserts (unspecified) (ecl@ss10.0.1-27-14-20-90 [BAB264011])		
Fuse construction type according to IEC 60269		Other
Type of current		AC
Rated voltage AC	V	415
Rated voltage DC	V	
Rated current	A	400
Utilization category		gL/gG (cable protection/equipment protection)
Breaking capacity	kA	80
Colour code		None
Type of fuse status indicator		None
Power loss at rated current	W	29
Mounting holes		M8
Centre-to-centre distance of connections	mm	111