



Utility fuse-link, low voltage, 100 A, AC 415 V, BS88/J, 31 x 110 mm, gU, BS



Powering Business Worldwide™

100MJ30-7

Product name		Eaton Bussmann series low voltage British standard fuse
Part no.		100MJ30-7
EAN		5027590427852
Product Length/Depth		110 millimetre
Product height		31 millimetre
Product width		31 millimetre
Product weight		155.4 gram
Compliances		RoHS Compliant CE Marked
Certifications		EAC BS IEC 60269
Product Tradename		None
Product Type		Low voltage British standard fuse
Product Sub Type		None
Amperage Rating		100 A
Voltage rating		415 V
Voltage type		AC
Breaking capacity		80 kA
Class		Other
Application		feeder pillars
Fuse type		MJ30
Fitted with:		Slotted tags
Connection		Bolt-on

Technical data ETIM 8.0

Circuit breakers and fuses (EG000020) / HRC fuse (EC004556)		
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts / Safety fuse inserts (unspecified) (ecl@ss10.0.1-27-14-20-90 [BAB264011])		
Fuse construction type according to IEC 60269		J
Type of current		AC
Rated voltage AC	V	415
Rated voltage DC	V	
Rated current	A	100
Utilization category		gU (utility/distribution protection)
Breaking capacity	kA	80
Colour code		None
Type of fuse status indicator		None
Power loss at rated current	W	8.7
Mounting holes		Other
Centre-to-centre distance of connections	mm	82