



Professional handheld label printer

PT-E110

Built with electricians and network professionals in mind

PT-E110



Ensuring compliance with electrical regulations (IET 18th edition) is critical for electrical installers/contractors. The P-touch E110 prints on durable labels ideal for identification of plug and switch faceplates, cables, conduits and consumer units. Common labelling tasks can be completed easily thanks to the dedicated quick-access buttons and the standard PC QWERTY keyboard layout. With 200 symbols to choose from several categories including electrical, datacomms and audio/video, the PT-E110 lets you customise your labels quickly using the easy-to-read graphic LCD.

For installations requiring numerical identification, a dedicated numeric keypad enables quick one-finger typing, and the serialise function automatically increments label numbers (e.g. A001, A002, A003) for efficient multi-label printing.

The PT-E110 is available as a value pack (PT-E110VP), which also includes an AC adaptor and a TZe tape, all housed in a durable carry case.

- Key features:**
- 20mm/second print speed
 - Graphic LCD display
 - Quick-access buttons for common labelling tasks
 - Dedicated number keypad for quick input
 - Easy-clean keyboard with familiar PC layout for fast text entry
 - Powered by 6 x AAA alkaline batteries or AC adaptor
 - Manual tape cutter
 - Uses TZe tape cassettes up to 12mm in width
 - 200 symbols including electrical, datacom, audio video and other categories
 - PT-E110 includes: 12mm black on white standard TZe tape (4m)
 - PT-E110VP includes: 9mm black on white Flexible-ID tape (8m), AC adaptor, hard carry case



brother
at your side

General

Carton contents (PT-E110)

PT-E110 labelling machine,
12mm TZe black on white tape
cassette (4m), documentation

Carton contents (PT-E110VP)

PT-E110 labelling machine,
9mm TZeblack on white tape
flexible ID tape cassette (8m),
AC adaptor, carry case,
documentation

Language support

20 (English, German, French,
Spanish, Portuguese,
Portuguese (Bra), Italian, Dutch,
Danish, Norwegian, Swedish,
Finnish, Hungarian, Czech,
Polish, Romanian, Slovenian,
Slovakian, Croatian, Turkish)

Weights and dimensions

Without carton (PT-E110) (W) x (D) x (H)

111mm x 58mm x 204mm
0.4kg (without tape and
batteries)

With carton (PT-E110) (W) x (D) x (H)

190mm x 94mm x 286mm

With carton (PT-E110VP) (W) x (D) x (H)

314mm x 116mm x 279mm

Built in features

Keyboard

PC style QWERTY/QWERTZ/
AZERTY

Dedicated number keypad

Yes

Display type

Graphic Monochrome LCD with
label preview capability

Display resolution

16 characters by 1 lines,
128 x 16 dots

Printing speed

Up to 20mm/second

Print resolution

180dpi

Maximum print height

9 mm

Cutter type

Manual cutter

Label length

30mm minimum,
300mm maximum

Maximum lines per label

2

Tape margins

Full, Half, Narrow, Chain Print

Vertical text printing

Yes

Mirror printing

No

Copies

1 to 9

Automatic numbering

Yes (1 – 50)

Label creation

Smart label application keys

General, Faceplate,
Cable Wrap, Cable Flag

Fonts

1, Helsinki

Font styles

7 (excl. Normal, Normal, Bold,
Outline, Shadow, Italic, Italic
Bold, Italic Outline, Italic Shadow)

Font sizes

16, 22, 28, 42, 56 point

Symbols

200

Frames

1, Rectangle with rounded
corners

Memory

Label memory locations

9 (up to 720 characters total
maximum)

Supplies

Tape types

TZe

Tape widths

TZe: 3.5, 6, 9 & 12

Optional accessories

Tape cutter

TC-4

AC adaptor

AD-24ES