LC0405.5

ECONOMY SERIES | Value lamps with a 2 Year Warranty





Economy

LC0403.5v2

3.5W

Opal Candle







Megaman's LED opal candle is suitable for a wide variety of applications such as chandeliers, wall lights and other decorative fittings. The new lamp has an even light distribution with 330 $^{\circ}$ illumination.

Specification

| UK Order Code > | 143300 | 143302 | 143304 | 143306 |
|-------------------------|-----------|-----------|-----------|-----------|
| Watts | 3.5W | 3.5W | 3.5W | 3.5W |
| Colour Temp (K) /CRI | 2800 / 80 | 2800 / 80 | 2800 / 80 | 2800 / 80 |
| Lumens (Im) | 250 | 250 | 250 | 250 |
| Dimmable | N | N | N | N |
| Lamp Base | E14 | E27 | B15 | B22 |
| Hrs Lamp Life (L70) | 15,000 | 15,000 | 15,000 | 15,000 |
| Weight (g) | 23 | 25 | 25 | 25 |
| Dimensions (L x Dia mm) | 100×35 | 98x35 | 98x35 | 96x35 |









Specification at a glance...



 * We test our lamps to both L70 and L90 standards. Figure shown is for L70. Operating temperature -30 $^\circ$ C to +40 $^\circ$ C



5.5W

Opal Candle







Megaman's LED opal candle is suitable for a wide variety of applications such as chandeliers and decorative fittings. The new lamp has an even light distribution with 330° illumination.

Also available in 4000K for a cooler appearance.

Specification

| UK Order Code > | 143308 | 143310 | 143312 | 143314 |
|-------------------------|-----------|-----------|-----------|-----------|
| Watts | 5.5W | 5.5W | 5.5W | 5.5W |
| Colour Temp (K) /CRI | 2800 / 80 | 2800 / 80 | 2800 / 80 | 2800 / 80 |
| Lumens (Im) | 470 | 470 | 470 | 470 |
| Dimmable | N | Ν | N | Ν |
| Lamp Base | E14 | E27 | B15 | B22 |
| Hrs Lamp Life (L70) | 15,000 | 15,000 | 15,000 | 15,000 |
| Weight (g) | 30 | 33 | 30 | 33 |
| Dimensions (L x Dia mm) | 100x35 | 102x35 | 98x35 | 100x35 |

5.5W Opal Candle - 4000K (Note, all other spec is the same as the 2800K model.)

| UK Order Code > | 143350 | 143352 | 143354 | 143356 |
|----------------------|-----------|-----------|-----------|-----------|
| Colour Temp (K) /CRI | 4000 / 80 | 4000 / 80 | 4000 / 80 | 4000 / 80 |









Specification at a glance...













 * We test our lamps to both L70 and L90 standards. Figure shown is for L70. Operating temperature -30°C to +40°C