












# Cable management product selector

## uPVC perimeter trunking


Range	Ultimate 60	Ultimate 62	Cableline 50		
					
Compartments	3	2	3	3	3
Size	150 x 60mm	190 x 62mm	180 x 52mm	180 X 52mm	180 X 52mm
Length	3 Metre	3 Metre	3 Metre	3 Metre	3 Metre
<b>Trunking</b>	CA3W	CU2W	DP3W	ER3W	EL3W
Spare lid centre	CLL3W		CLL3W	CLL3W	CLL3W
Spare lid top	CAN3W	CLL3W	DPN3W	DPN3W	ELN3W
Spare lid bottom	CAN3W	DLN2W	DPN3W	ELN3W	ELN3W
Divider		CUD2W			
Spacing lid cover	CCS3W	CCS3W	CCS3W	CCS3W	CCS3W
External angle	CAX3W	CUXB2W	DPX3W	ERX3W	ELX3W
Internal angle	CAI3W	CUIB2W	DPI3W	ERI3W	ELI3W
Flat angle both (riser / dropper)	CAF3W	(CUF2RW CUF2DW)	DPF3W	(ERF3CW ERF3RW)	ELF3W
Flat tee (riser/dropper)	CAT3W	(CUT2RW CUT2DW)	DPT3W	ERT3W	ELT3W
Joint cover (coupler)	CAJ3W	CUJ2W	DPJ3W	ERJ3W	ELJ3W
End cap/stop end (LH/RH)	CAS3W	(CUS2LW CUS2RW)	DPE3W	(ERS3LW ERS3RW)	ELS3W
Data cable guide (ext angle)			DCGA	DCGA	DCGA
Ultimate 60 to delta converter	CAC3W				
Screening divider	SS60	SS43	SS34	SS34	SS34
Screening divider - int/ext angle	SSI60 / SSX60	SSI43 / SSX43			
Crossover unit			DLO3	DLO3	DLO3
Cable hanger			CLH3	CLH3	CLH3
Cable retainers centre			DLC3M	DLC3M	DLC3M
Cable retainers - chamfered outer			DPC3T	DPC3T	
Cable retainers - radius outer				DSC3T	DSC3T
Oval bell mouth bush	BMB	BMB			
Earth tags	SET1	SET1	SET1	SET1	SET1
Mini trunking adapters 16 x 16mm	CLA31W	CLA31W	CLA31W	CLA31W	CLA31W
Mini trunking adapters 25 x 16mm	CLA32W	CLA32W	CLA32W	CLA32W	CLA32W
<b>Socket mounting boxes</b>					
1G 25mm	CLB31W	CLB31W	CLB31W	CLB31W	CLB31W
1G 35mm	CLB41W	CLB41W	CLB41W	CLB41W	CLB41W
1G 50mm	CLB51W	CLB51W			
2G 25mm	CLB32W	CLB32W	CLB32W	CLB32W	CLB32W
2G 35mm	CLB42W	CLB42W	CLB42W	CLB42W	CLB42W
2G 50mm	CLB52W	CLB52W			
<b>DDA plates</b>					
DDA plate Blue 1G/2G	DDA1BL DDA2BL	DDA1BL DDA2BL	DDA1BL DDA2BL	DDA1BL DDA2BL	DDA1BL DDA2BL
DDA plate Grey 1G/2G	DDA1CH DDA2CH	DDA1CH DDA2CH	DDA1CH DDA2CH	DDA1CH DDA2CH	DDA1CH DDA2CH
DDA compliant lid	CLL3G	CLL3G	CLL3G	CLL3G	CLL3G

Cableline duo	Cableline 40			Delta 105	Carlton
					
2	3	3	3	1	2
210 x 52mm	145 x 40mm	145 x 40mm	145 x 40mm	100 x 50mm	80 x 22mm
3 Meter	3 Metre	3 Metre	3 Metre	3 Metre	3 Metre
EP2W	CP3W	CS3W	CL3W	DA105W	SK82W
CLL3W	CLL3W	CLL3W	CLL3W		
	CSN3W	CSN3W	CLN3W		
	CSN3W	CLN3W	CLN3W		
EPD2W				DAHD105W	
	CCS3W	CCS3W	CCS3W		
EPX2W	CPX3W	CSX3W	CLX3W	DAX105W	SKE82W
EPI2W	CPI3W	CSI3W	CLI3W	DAI105W	SKI82W
EPF2W	CPF3W	(CSF3CW CSF3RW)	CLF3W	DAF105W	
EPT2W	CPT3W	(CST3CW CST3RW)	CLT3W	DAT105W	
EPJ2W	CPJ3W	CSJ3W	CLJ3W	DAJ105W	SKJ82W
EPS2W	CPS3W	(CSS3LW CSS3RW)	CLS3W/ CLE3W	DAS105W	(SKL82W SKR82W)
DCGA					
SS34	SS23	SS23	SS23	SS105 SSI105 / SSX105	
DLO3	CLO3	CLO3	CLO3		SKC82W
CLH3	CLH3	CLH3	CLH3		
DLC3M	CLC3M	CLC3M	CLC3M		
	CSC3T	CSC3T			
		CLC3T	CLC3T		
SET1	SET1	SET1	SET1	SET1	
CLA31W	CLA31W	CLA31W	CLA31W	MFC1W	
CLA32W	CLA32W	CLA32W	CLA32W	MFC2W	SKM822W
	CLB31W	CLB31W	CLB31W	CTB11W CTB21W	SKB21W (external)
CLB32W	CLB32W	CLB32W	CLB32W	CTB12W	
CLB42W				CTB22W	SKB22W (external)
DDA1BL	DDA1BL	DDA1BL	DDA1BL	DDA1BL	
DDA2BL	DDA2BL	DDA2BL	DDA2BL	DDA2BL	
DDA1CH	DDA1CH	DDA1CH	DDA1CH	DDA1CH	
DDA2CH	DDA2CH	DDA2CH	DDA2CH	DDA2CH	
CLL3G	CLL3G	CLL3G	CLL3G	CLL3G	


# Cableline 50




DP3W



ER3W



EL3W



## Technical data

- Material uPVC
- Colour: white RAL colour options available
- 3m lengths
- 180 x 52mm profiles
- 3 compartments
- Pre-drilled base
- 3 profiles available
- Screw on corner fittings for added security
- Accommodates 25mm and 35mm deep boxes for a wide range of accessories
- Accepts all leading wiring accessories
- Optional data cable guide enables cable to maintain a minimum bend radii
- BS EN 50085-1, BS EN 50085-2-1, BS4678 Pt4, BS7671 (IET Regulations), BS6701, BS EN 50173-1, BS EN 50174-2, ANSI/TIA/EIA568B & ISO/IEC11801
- This unit is available pre-wired, contact us for further details
- Part M DDA compliancy available
- Antimicrobial available

## Trunking assemblies

Ref	Packed
DP3W	2 x 3m
ER3W	2 x 3m
EL3W	2 x 3m

## Spare lid pack

Ref		Packed
CLL3W	Centre	2 x 3m
DPN3W	Chamfered outer	2 x 3m
ELN3W	Radius outer	2 x 3m

## Spacing cover lid

Ref	Packed
CCS3W	10

Part M - DDA compliant

Antimicrobial available