

PRODUCT-DETAILS

# SP25/M25/M

## M25 MULTIPART FITTING FORSP25



Product image  
not available

### General Information

Extended Product Type	SP25/M25/M
Product ID	7TCA296020R0204
EAN	5020963005794
Catalog Description	M25 MULTIPART FITTING FORSP25
Long Description	Nickel Plated Brass Straight, Multi-Part Fitting with Fixed Internal Thread, Nominal Conduit Size 25 Millimeters, Metric Thread Size M25

### Ordering

EAN	5020963005794
Customs Tariff Number	7412200090

### Dimensions

Product Net Weight	.22 lb 99.773 g
--------------------	--------------------

### Container Information

Package Level 1 Units	10 piece
Package Level 2 Units	300 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

---

### Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M25 Thread
Color	Metallic
Material	Brass
Number of Batteries	0
Product Name	brass fitting for conduit
Product Type	Conduit Fitting with Metric Threads
Size	3/4 Inch
Surface Finishing	Nickel Plated
UPC	786210249124

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SP25/M25/M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	SP25/M25/M

---

### Classifications

ETIM 6	EC001180 - Screw connection for protective metallic hose
ETIM 7	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available