

PRODUCT-DETAILS

# SPL20/M20/M

## BRASS LQT MULTIPT ADPTR 1/2IN M20



### General Information

Extended Product Type	SPL20/M20/M
Product ID	7TCA296030R0163
EAN	5020963002830
Catalog Description	BRASS LQT MULTIPT ADPTR 1/2IN M20
Long Description	Nickel Plated Brass Liquid Tight Straight Swivel Fitting with External Thread, Nominal Conduit Size 20 Millimeters, Metric Thread Size 20M

### Ordering

EAN	5020963002830
Customs Tariff Number	7412200035

### Dimensions

Product Net Weight	.11 lb 49.887 g
--------------------	--------------------

### Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	6 in 152 mm
Package Level 1 Height	1 in

	25 mm
Package Level 1 Depth / Length	6 in 152 mm
Package Level 2 Units	300 piece
Package Level 2 Width	13 in 330 mm
Package Level 2 Height	7 in 178 mm
Package Level 2 Depth / Length	14 in 356 mm

### Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M20 Thread
Color	Metallic
Material	Brass
Number of Batteries	0
Product Name	brass fitting for conduit
Product Type	Liquid Tight Non-Metallic Fitting
Size	1/2 Inch
Surface Finishing	Nickel Plated
UPC	786210246819

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107492A2426
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	SPL20/M20/M

### Classifications

ETIM 6	EC001180 - Screw connection for protective metallic hose
ETIM 7	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

