

PRODUCT-DETAILS

AL28/M32/A/BL

M32 ADAPTALOK BLK STR



General Information

Extended Product Type	AL28/M32/A/BL
Product ID	7TCA296000R0832
EAN	5020963026898
Catalog Description	M32 ADAPTALOK BLK STR
Long Description	Straight Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 28mm, M32 Thread, Polyamide (Nylon) 66, Black

Ordering

EAN	5020963026898
Customs Tariff Number	3917400090

Dimensions

Product Net Weight	.98 lb 444.444 g
--------------------	---------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	2 in 51 mm
Package Level 1 Height	2 in

	51 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	120 piece
Package Level 2 Width	2 in 51 mm
Package Level 2 Height	2 in 51 mm
Package Level 2 Depth / Length	1.7 in 43 mm

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M32 Thread
Color	Black
Material	Polyamide/Nylon 6.6
Number of Batteries	0
Product Name	ADAPTAFLEX
Product Type	Conduit Fitting with Metric Threads
Size	NC 28mm
UPC	786210249957

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	AL28/M32/A/BL
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	AL28/M32/A/BL

Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

