

PRODUCT-DETAILS

SP50/BL/25M

25M X SP50/BLACK CONDUIT



General Information

| | |
|-----------------------|--|
| Extended Product Type | SP50/BL/25M |
| Product ID | 7TCA296020R0290 |
| EAN | 5020963000416 |
| Catalog Description | 25M X SP50/BLACK CONDUIT |
| Long Description | Liquid Resistant, General Purpose, Highly Flexible Conduit, Nominal Conduit Size 50mm, Outside Diameter 55.0mm, Inside Diameter 48.4mm, Static Bend Radius 90mm, Reel Length 25 Meters, PVC Jacket with Galvanised Steel Core, Black |

Ordering

| | |
|-----------------------|---------------|
| EAN | 5020963000416 |
| Customs Tariff Number | 8307106000 |

Dimensions

| | |
|--------------------|-----------------------|
| Product Net Weight | 63.71 lb 28.893 kg |
|--------------------|-----------------------|

Container Information

| | |
|-----------------------|-----------------|
| Package Level 2 Units | 1 piece |
| Package Level 2 Width | 37 in 940 mm |

| | |
|--------------------------------|-----------------|
| Package Level 2 Height | 17 in 432 mm |
| Package Level 2 Depth / Length | 17 in 432 mm |

Additional Information

| | |
|---------------------|---|
| Application | Indoors / Outdoors - Light Industrial, General Purpose, Buildings |
| Brand / Label | Adaptaflex |
| Color | Black |
| Flexibility | High |
| Inside Diameter | 48.4 mm |
| Material | Galvanized Steel Core with PVC Jacket |
| Nominal Size | 1-1/2 in |
| Number of Batteries | 0 |
| Outside Diameter | 55.0 mm |
| Product Name | flexible metal conduit |
| Product Type | High Flexibility Conduit |
| Radius | 90 mm |
| UPC | 786210249315 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | SP50/BL/25M |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| Instructions and Manuals | SP50/BL/25M |

Classifications

| | |
|------------------------------------|-------------------------------------|
| ETIM 6 | EC001179 - Protective metallic hose |
| ETIM 7 | EC001179 - Protective metallic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5535 >> Electrical conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

