

PRODUCT-DETAILS

AL34/M32/A/BL

M32 NC34 ADAPTALOK BLK STR



General Information

Extended Product Type	AL34/M32/A/BL
Product ID	7TCA296000R0957
EAN	5020963001543
Catalog Description	M32 NC34 ADAPTALOK BLK STR
Long Description	Straight Conduit Fitting, Panel Mount Flange, Fixed External Male Thread, Nominal Conduit Size 34mm, M32 Thread, Polyamide (Nylon) 66, Black

Ordering

EAN	5020963001543
Customs Tariff Number	3917400090

Dimensions

Product Net Weight	.15 lb 68.027 g
--------------------	--------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	1.6 in 41 mm
Package Level 1 Height	2.1 in

	53 mm
Package Level 1 Depth / Length	0.75 in 19 mm
Package Level 2 Units	100 piece
Package Level 2 Width	14 in 356 mm
Package Level 2 Height	6 in 152 mm
Package Level 2 Depth / Length	14 in 356 mm

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M32 Thread
Color	Black
Material	Polyamide/Nylon 6.6
Number of Batteries	0
Product Name	plastic fitting for conduit
Product Type	Panel Mounting Flange
Size	NC 34mm
UPC	786210280547

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	AL34/M32/A/BL
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	AL34/M32/A/BL

Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

