

PRODUCT-DETAILS

# SPL40/M40/M

## BRASS LQT MULTIPTADPTR 1-1/4IN M40



### General Information

Extended Product Type	SPL40/M40/M
Product ID	7TCA296030R0283
EAN	5020963007873
Catalog Description	BRASS LQT MULTIPTADPTR 1-1/4IN M40
Long Description	Nickel Plated Brass Liquid Tight Straight Swivel Fitting with External Thread, Nominal Conduit Size 40 Millimeters, Metric Thread Size 40M

### Ordering

EAN	5020963007873
Customs Tariff Number	7412200035

### Dimensions

Product Net Weight	.46 lb 208.617 g
--------------------	---------------------

### Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	40 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

---

### Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M40 Thread
Color	Metallic
Material	Brass
Number of Batteries	0
Product Name	brass fitting for conduit
Product Type	Liquid Tight Non-Metallic Fitting
Size	1-1/4 Inch
Surface Finishing	Nickel Plated
UPC	786210247205

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107492A2426
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	SPL40/M40/M

---

### Classifications

ETIM 6	EC001180 - Screw connection for protective metallic hose
ETIM 7	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

