

PRODUCT-DETAILS

S20/M20/A

M20 FITTING FOR S20



General Information

Extended Product Type	S20/M20/A
Product ID	7TCA296010R0070
EAN	5020963000539
Catalog Description	M20 FITTING FOR S20
Long Description	Nickel Plated Brass Straight Fitting with Fixed External Threads, Nominal Conduit Size 20 Millimeters, Metric Thread Size M20

Ordering

EAN	5020963000539
Customs Tariff Number	7412200035

Dimensions

Product Net Weight	.097 lb 43.991 g
--------------------	---------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	1.5 in 38 mm
Package Level 1 Height	1.4 in

	36 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 2 Units	300 piece
Package Level 2 Width	14 in 356 mm
Package Level 2 Height	14 in 356 mm
Package Level 2 Depth / Length	6 in 152 mm

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M20 Thread
Color	Metallic
Material	Brass
Number of Batteries	0
Product Name	brass fitting for conduit
Product Type	Conduit Fitting with Metric Threads
Size	1/2 Inch
Surface Finishing	Nickel Plated
UPC	786210251387

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	S20/M20/A
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	S20/M20/A

Classifications

ETIM 6	EC001180 - Screw connection for protective metallic hose
ETIM 7	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

