

Tulua III

Exterior Wall Lighting



Data Sheet

Product Information

The Tulua III wall light is perfect for lighting external walls using either the single or the double up & down version.

Product Features

- 1 year warranty
- Class I
- IP44
- Single or double GU10 35W max.
- Suitable for retro fit GU10 LED lamps
- Not suitable for High Saline Areas
- Products supplied less lamps
- 304L Stainless Steel



Product Specification

Product Code	Product Description	Wattage	Lamp Cap	Energy Efficiency Class	Protection Class
KSR1315	Tulua III 35W GU10 Single Wall Light	35w	GU10	D	I
KSR1316	Tulua III 2x 35W GU10 Up & Down Wall Light	2x 35w	2x GU10	D	I
Lamp Options					
KSRLP932	7w 3000K 560 lumen Dimmable LED GU10 Lamp	7w	GU10 LED	A+	I
KSRLP933	7w 4000K 600 lumen Dimmable LED GU10 Lamp	7w	GU10 LED	A+	I

Nominal voltage	220~240VAC
Operating frequency	50-60Hz
Circuit Wattage	Max 35w Halogen
IP rating	44

Construction

Body: 304L Stainless Steel
Lens: Clear Glass


Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests


In Conformity with

LVD Low voltage directive 2014/35/EU
RoHS Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSR1315



KSR1316

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.