



AMGAMLED/CCT/M3

Gamma Mini LED CCT Emergency 10W



Features

Ultra slim modern polycarbonate wall/ceiling light

Matt white finish to body and diffuser

One product provides both 3000K and 4000K colour temperature options

Rear fixing bracket and terminal housing for ease of installation

Exceeds performance of 28W TC-DD

IP54 rating and suitable for bathroom use

/MWS and /MWS/M3 versions Masters as standard

Microwave sensor set to 15 minutes (non-adjustable)

LED lifespan L70 54,000 hours

Non-dimmable

General Information

Lamp Type	LED
Colour / Finish	Matt White
Emergency	Yes
IP Rating	IP54
Class Protection	2
Bathroom Zone	2
Internal / External	Internal / External
Surface / Recessed / Suspended	Surface
Warranty (Years)	3
Diameter (mm)	250
Depth (mm)	50
Accessories	AGAMLEDBZ/CH

Technical Information

Wattage	10W
Lumens Delivered	1148lm (Cool White), 1053lm (Warm White)
Lm/W	115lm (Cool White), 105lm (Warm White)
CRI	Ra 80
CCT	3000/4000K
Input	230V
Hertz	50Hz
Operating Temp	-5°C to 35°C



Technical Data - ETIM - Ceiling-/wall luminaire (EC002892)

Suitable for wall mounting	Yes
Suitable for suspended mounting	No
Suitable for ceiling mounting	Yes
Suitable for built-in mounting	No
Suitable for surface mounting	Yes
With light source	Yes
Suitable for number of lamps	1
Material housing	Plastic
Colour housing	White
Nominal voltage	230-230 V
Control gear included	Yes
No dim function	Yes
Degree of protection (IP)	IP54
Protection class	II
Suitable for emergency lighting	Yes
With movement sensor	No
With light sensor	No
Max. system power	10 W
Colour of light	White
Colour temperature	3000-4000 K
Colour rendering index CRI	80-89
Height/depth	50 mm
Length	250 mm

Datasheet generated from <https://onetimepim.com> last updated Tuesday, June 23, 2020 10:33:19 AM

