



AC-90 Multipurpose Lubricant



SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 453/2010

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	AC-90 Multipurpose Lubricant.
Trade Name	AC-90 Multipurpose Lubricant.
Part No.	2006, 1839
CAS No.	Mixture.
EINECS No.	Mixture.
REACH Registration No.	None assigned.
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Identified use(s)	Lubricant/ Cleaner/ Anti-Rust Fluid/ Penetrant/ Drives out Moisture.
Uses advised against	Do not mix with other chemicals.
1.3 Details of the supplier of the Safety Data Sheet	
Company Identification	Action Can Ltd., Dixon Close, Old Boston Trading Estate, Haydock, St. Helens, Merseyside. Wa11 9SF.
Telephone	01942 713667
Fax	01942 716235
E-Mail (competent person)	info@actioncan.com
1.4 Emergency telephone number	
Emergency Phone No.	01942 713667 (Mon – Fri: 9am to 5pm)

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
Directive 67/548/EEC & Directive 1999/45/EC	F+; Extremely flammable. N; Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
2.2 Label elements	
Product Name	According to Directive 67/548/EEC & Directive 1999/45/EC
Hazard Symbol	AC-90 Multipurpose Lubricant.
	 
	F+ N
Risk Phrases	R12: Extremely flammable. R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



AC-90 Multipurpose Lubricant

Safety Phrases

S2: Keep out of the reach of children.
S16: Keep away from sources of ignition - No smoking.
S23: Do not breathe spray.
S38: In case of insufficient ventilation, wear suitable respiratory equipment.
S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S57: Use appropriate container to avoid environmental contamination.

Additional Information

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C.
Do not pierce or burn, even after use.
Do not spray on a naked flame or any incandescent material.

2.3 Other hazards

None.

2.4 Additional Information

None.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

3.1 Mixtures

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	EC Classification and Risk Phrases
Naphtha (petroleum), hydrotreated heavy	50 - 75	64742-48-9	265-150-3	None assigned	F+; R12, N; R52/53, R66
Butane	10 - 25	106-97-8	203-448-7	None assigned	F+; R12
Isobutane	10 - 25	75-28-5	200-857-2	None assigned	F+; R12

3.2 Additional Information

For full text of R phrases see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

Move person to fresh air. If symptoms persist, obtain medical attention.

Skin Contact

Wash skin with water.

Eye Contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Ingestion

Unlikely route of exposure.

4.2 Most important symptoms and effects, both acute and delayed

Unlikely to be required but if necessary treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

No special requirements.



AC-90 Multipurpose Lubricant

5. SECTION 5: FIRE-FIGHTING MEASURES

- | | |
|--|--|
| 5.1 Extinguishing Media
Suitable Extinguishing Media

Unsuitable Extinguishing Media |

Extinguish preferably with dry chemical, sand or carbon dioxide.
Water jet spray. |
| 5.2 Special hazards arising from the substance or mixture | Heating may cause pressure rise with risk of bursting. This product may give rise to hazardous fumes in a fire. |
| 5.3 Advice for fire-fighters | Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. |

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- | | |
|--|--|
| 6.1 Personal precautions, protective equipment and emergency procedures | Eliminate sources of ignition. Stop leak if safe to do so. Ensure adequate ventilation. Wear suitable gloves and eye/face protection. |
| 6.2 Environmental precautions | Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. |
| 6.3 Methods and material for containment and cleaning up | Do NOT wash away into sewer. Place leaking cans in a bucket or pail to minimise product contamination of surfaces. Adsorb spillages onto sand. |
| 6.4 Reference to other sections | See Also Section 7, 8, 13. |

7. SECTION 7: HANDLING AND STORAGE

- | | |
|--|--|
| 7.1 Precautions for safe handling | Ensure adequate ventilation. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep away from: Electrostatic charge. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
In case of insufficient ventilation, wear suitable respiratory equipment. See Section: 8. Keep work clothes separately. Wash hands before breaks and after work. |
| 7.2 Conditions for safe storage, including any incompatibilities
Storage Temperature
Storage Life
Incompatible materials | Keep cool. Protect from sunlight. Store in a dry place.

Do not expose to temperatures exceeding 50°C/ 122°F. Stable under normal conditions.
Oxidizing agent, Reducing agent. |
| 7.3 Specific end use(s) | Lubricant/ Cleaner/ Anti-Rust Fluid/ Penetrant/ Drives out Moisture. |



AC-90 Multipurpose Lubricant

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Butane	106-97-8	600	1450	750	1810	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2 Biological limit value

Not established.

8.1.3 PNECs and DNELs

Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection



Not normally required. Wear eye protection with side protection (EN166).

Skin protection (Hand protection/Other)



Not normally required. Wear suitable gloves if prolonged skin contact is likely. Wear: Impervious gloves. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Respiratory protection



In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Not applicable.

8.2.3 Environmental Exposure Controls

Do not allow to enter drains, sewers or watercourses.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Pale brown.
Odour	Characteristic.
Odour Threshold	Not determined.
pH	Not determined.
Melting Point/Freezing Point	Not determined.
Initial boiling point and boiling range	Not determined.
Flash point	-60°C
Evaporation rate	Not determined.
Flammability (solid, gas)	Extremely flammable.
Upper/lower flammability or explosive limits	0.6 - 8.5 Vol-%
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	Not determined.
Solubility(ies)	Immiscible.
Partition coefficient: n-octanol/water	Not determined.



AC-90 Multipurpose Lubricant

Auto-ignition temperature	The product is not self-igniting.
Ignition temperature	240°C
Decomposition Temperature	Not determined.
Viscosity	Not available.
Explosive properties	Contains gas under pressure; may explode if heated.
Oxidising properties	Not oxidising.
9.2 Other information	None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Reacts violently with - Strong oxidising agents.
10.4 Conditions to avoid	Do not mix with other chemicals.
10.5 Incompatible materials	Oxidizing agent, Reducing agent.
10.6 Hazardous Decomposition Product(s)	This product may give rise to hazardous fumes in a fire.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
11.1.1 Mixtures	
Acute toxicity	Low acute toxicity.
Irritation	Mild irritant.
Corrosivity	Not classified.
Sensitisation	It is not a skin sensitiser.
Repeated dose toxicity	None anticipated.
Carcinogenicity	No evidence of carcinogenicity.
Mutagenicity	There is no evidence of mutagenic potential.
Toxicity for reproduction	None anticipated.
11.2 Other information	None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
12.2 Persistence and degradability	The product is poorly biodegradable.
12.3 Bioaccumulative potential	No information available.
12.4 Mobility in soil	Immiscible. Floats on water.
12.5 Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6 Other adverse effects	Water hazard class: WGK 3 (Severe hazard to waters)

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility.
13.2 Additional Information	Disposal should be in accordance with local, state or national legislation. Do not allow into any sewer on the ground, or into any body of water.



AC-90 Multipurpose Lubricant

14. SECTION 14: TRANSPORT INFORMATION

14.1	UN number	UN 1950
14.2	UN proper shipping name	AEROSOLS.
	ADR/RID/ADN/IMDG	AEROSOLS, FLAMMABLE.
	ICAO/IATA	
14.3	Transport hazard class(es)	2
	ADR/RID/ADN	2.1
	IMDG/ICAO/IATA	
14.4	Packing Group	None.
14.5	Environmental hazards	Not classified as a Marine Pollutant.
14.6	Special precautions for user	None.
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
14.8	Additional Information	
14.8.1	IMDG Code	EmS: F-D, S-U
14.8.2	Tunnel Restriction Code	D

15. SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations	
	Authorisations and/or restrictions on use	
	Candidate List of Substances of Very High Concern for Authorisation	All chemicals are not listed.
	REACH: ANNEX XIV LIST OF SUBSTANCES SUBJECT TO AUTHORISATION	All chemicals are not listed.
	REACH: ANNEX XVII RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES	All chemicals are not listed.
	Community Rolling Action Plan (CoRAP); Draft 11/11/2011	All chemicals are not listed.
15.1.2	National regulations	None known.
15.2	Chemical Safety Assessment	Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
WGK	Wassergefährdungsklasse (Germany)



AC-90 Multipurpose Lubricant

Risk Phrases

- R12 Extremely flammable.
R66 Repeated exposure may cause skin dryness or cracking.
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose.

Action Can Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Action Can Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.