

technical hotline +44 (0)1268 563720

perimeter and distribution | cable management



range introduction

Prestige 2com trunking is designed to meet the needs of current and future data cabling.

Prestige 2com is Cat 5e, 6 and 7 compliant and provides maximum capacity for data cabling.

features and benefits

Cat 6 compliant

50mm radius bends on all corners so cables lie in trunking correctly to avoid any deformation which may result in signal distortion and loss. Complies with and exceeds Cat 5e wiring regulations. Ideal also for future refurbishments using upgraded data cables – Cat 6A/7

Maximises capacity

60mm deep trunking with two equal compartments to maximise data channel cabling

Flexible accessories

Accessories can be mounted on either or both compartments – enables maximum use of wiring space in one compartment

Frames maximise space

Mounting frames for LU6/Euro data outlets to maximise use of space

Stylish and robust


Single piece end caps, corners and couplers for improved aesthetics and solid construction. Screw fix option for security of corner fittings

Pre-drilled trunking bases

Eliminates the need to measure and drill fixing holes on site thus reducing installation time

All extrusions manufactured from 90% recycled material*

* Based on 2008 consumption.



AESTHETIC PROFILE
Stylish, contoured elegance.

END CAPS
Neatly finish runs of trunking. Supplied as sets of right and left hand pairs including retainers and covers.
One-piece cover simplifies installation.

CABLE RETAINERS
Hold cables securely in place.

MAIN CARRIER
Pre-drilled at 100mm centres for ease and speed of installation.

ACCESSORY MOUNTING BOXES AND FRAMES

All boxes have facility to 'knockout' back for greater depth.

35mm boxes for larger cabling size requirements, deep accessories, data and power.

Accessories can be mounted in either or both compartments.

COVERS
Clip-on to complete assembly and conceal wiring.

INTERNAL CORNER
One-piece cover simplifies specification and installation. Each assembly is supplied with clip-on cover and moulded corner carrier.

Data bend component with 50mm Radius.

Screw fix option
Unobtrusive screw fixings to maximise security against tampering.

technical hotline +44 (0)1268 563720

perimeter and distribution | cable management



EXTERNAL CORNER

One-piece cover component for ease of assembly and styling. Each assembly is supplied with clip-on cover and moulded corner carriers.

Data bend component with 50mm Radius.

Screw fix option: unobtrusive screw fixings to maximise security against tampering.

FLAT TEES AND ANGLES

These enable the Prestige 2com trunking configuration to follow the contours of the installation in the vertical plane and include 50mm radius inserts to ensure continued data cable protection.



CABLE DIVIDER
Sub-divides internal compartments.

2 COMPARTMENTS

For maximum data cable capacity complete compartment area can be used.

MINI TRUNKING ADAPTORS

For cable distribution to and from Prestige 2com a range of MK mini trunking and Egatube Conduit can be used.

COUPLER

One-piece cover component for ease of assembly. Each assembly is supplied with carrier moulding and clip-on cover (shown below).

CROSSOVER BRIDGE

Permits cabling to cross from one cable compartment to another within the assembly, whilst maintaining segregation.

EMC SCREENING

Aluminium screening inserts provide an effective screen for computer service cables and can be used in either compartment.

