








Product Description:

Spryte[™] 8W Adjustable Integrated IP44 Dimmable Downlight

Spryte[™] LED downlight range is the ideal energy efficient non-fire rated solution for new build or retrofit installations. Fitted with the edge-to-edge, multifaceted, 60° wide beam EnFiniti[™] lens, these downlights allow for high light output and low glare while still providing a sparkling halogen like optical appearance in a compact sized fitting. Also available in 8W gimbal adjustable version alongside the fixed for maximum application flexibility.

SKU Code	Wattage	Colour	Lumens	Lumens/Watt	Beam Angle	Finish Colour	SKU Type
EN-DDL10260/30	8	3000	620	78	60	Matt White	Triac Dimmable
EN-DDL10260/40	8	4000	680	85	60	Matt White	Triac Dimmable



Product Features:

- Energy efficient LED downlight for new build or halogen and reflector lamp retrofit applications
- EnFiniti™ edge-to-edge multifaceted polycarbonate lens creates low glare and halogen like appearance
- Compact integrated driver for easy installation and low ceiling voids

Product Specs:

Input Voltage Power Factor

Lamp Base

Lifetime L70 (hrs)

Overall Diameter (mm)

Cutout Diameter (mm)

Operating Temp. (Min) °C

- 8W supplied with fixed white bezel. 10W supplied with • interchangeable round & square white bezels
- Available as non-dimmable and triac dimmable

220~240V AC

0.5

25000

None

90

70

-20°C

- Pre-wired with 500mm 2 core cable
- Fixed & adjustable versions IP44 rated
- 1.5kV surge protection
- 3 year warranty

Input Frequency	/50HZ		
IP Rating	IP44		
IK Rating	IK07		
Height (mm)	55		
Weight (Kg)	0.167		
Product Type	Downlights		
Operating Temp. (Max) °C	40°C		

Compliance & Approvals:



This product has a warranty period of 3 Years. Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserves the right to alter specifications without prior notice.