

Spring Steel / Girder Beam Fixings

Deligo are a major distributor for Walraven products throughout the UK & Ireland. As well as the listing below, we are able to source quickly from their full inventory. Please contact our Sales Team on 01384 824100 or sales@deligo.co.uk for further details

Cable Hanger/Cable Run Clip **BZP**


Code	Girder Size	Cable/Pip Size	Erico Caddy	B-Line	Negaruso	Box Quantity	Price 100
CR810	8-12mm	10-11	812SC1011	BXL1011	NEL1011	25	
CR812	8-12mm	12-14	812SC1214	BXL1214	NEL1214	1000	
CR815	8-12mm	15-18	812SC1518	BXL1519	NEL1519	25	
CR819	8-12mm	19-24	812SC1924	BXL2024	NEL2024	1000	
CR825	8-12mm	25-30	812SC2530	BXL2530	NEL2530	1000	
CR86	8-12mm	6-7	812SC67	BXL67	NEL67	1000	
CR87	8-12mm	8-9	812SC89	BXL89	NEL89	1000	
CR410	4-7mm	10-11	47SC1011	BXM1011	NEM1011	25	
CR412	4-7mm	12-14	47SC1214	BXM1214	NEM1214	1000	
CR415	4-7mm	15-18	47SC1518	BXM1519	NEM1519	1000	
CR419	4-7mm	19-24	47SC1924	BXM2024	NEM2024	1000	
CR425	4-7mm	25-30	47SC2530	BXM2530	NEM2530	1000	
CR46	4-7mm	6-7	47SC67	BXM67	NEM67	1000	
CR47	4-7mm	8-9	47SC89	BXM89	NEM89	1000	
CR210	2-4mm	10-11	24SC1011	BXS1011	NES1011	1000	
CR212	2-4mm	12-14	24SC1214	BXS1214	NES1214	1000	
CR215	2-4mm	15-18	24SC1518	BXS1519	NES1519	1000	
CR219	2-4mm	19-24	24SC1924	BXS2024	NES2024	1000	
CR225	2-4mm	25-30	24SC2530	BXS2530	NES2530	1000	
CR26	2-4mm	6-7	24SC67	BXS67	NES67	1000	
CR27	2-4mm	8-9	24SC89	BXS89	NES89	1000	

*CR410, CR810 & CR815 Boxed in 25s



Cable Run Adaptor **BZP**

Code	Girder Size	Cable/Pip Size	Erico Caddy	B-Line	Negaruso	Box Quantity	Price 100
CRA	12-20mm	NES Clips	SCA	BFA1215	NEA1215	100	



Cable Hanger/Cable Run Clip **BZP**

Code	Girder Size	Cable/Pip Size	Erico Caddy	B-Line	Negaruso	Box Quantity	Price 100
VF1	1.5 - 5mm	6	J1	BF1 OR BF3	J1H-E	100	
VF2	5 - 7mm	6	J2	BF2	J2H-E	100	
ZP1	1.5 - 2.5mm	7	AF14	BF4	J3H	50	
DCZ1	3mm		D1	BH21	ZHD2	75	



Conduit Clip **BZP**

Code	Cable/Pipe Size	Erico Caddy	B-Line	Negaruso	Box Quantity	Price 100
SC750	20mm Conduit	K12	BW8	K19	50	
SC1000	25mm Conduit	K8	BW12	K25	50	
SC1250	32mm Conduit	K16	BW20	K31	50	
DCZ1		D1	BH21	ZHD2	75	



Girder Clip **BZP**

Code	Girder Size	Cable/Pip Size	Erico Caddy	B-Line	Negaruso	Box Quantity	Price 100
BC125	1.5 - 4mm		2H4	BE12	H4-E	100	
BC250	4 - 10mm		4H24	BE24	H10-E	100	
BC500	10 - 15mm		4H58	BE58	H15-E	100	
BC750	15 - 20mm		4H912	BE912	H20-E	50	
BCCT100	32 - 30mm						



Rod Hanger **BZP**

Code	Girder Size	Cable/Pip Size	Erico Caddy	B-Line	Negaruso	Box Quantity	Price 100
VF16MT	1.5 - 5mm	M6 Rod	M6TIJ1	BH4F1	J1H6Ti-E	100	
VF18MT	1.5 - 5mm	M8 Rod	M8TIJ1	BMH8F1	J1H8Ti-E	100	
VF110MT	1.5 - 5mm	M10 Rod	M10TIJ1	BMH10F1	J1H10Ti-E	100	
VF26MT	5 - 7mm	M6 Rod	M6TIJ2	BH4F2	J2H6Ti-E	100	
VF28MT	5 - 7mm	M8 Rod	M8TIJ2	BMH8F2	J2H8Ti-E	100	
VF210MT	5 - 7mm	M10 Rod	M10TIJ2	BMH10F2	J2H10Ti-E	100	



Ceiling Clip **BZP**

Code	Girder Size	Cable/Pip Size	Erico Caddy	B-Line	Negaruso	Box Quantity	Price 100
T2516	Ceiling Clips	M6 x 16	4G16M16	BMA41616	AC25	50	




Light Hanger (Witch's Hat) **BZP**

Code	Girder Size	Cable/Pip Size	Erico Caddy	B-Line	Negaruso	Box Quantity	Price 100
MP1			DFF1	BH17	HSC1	50	



Dovetail Cable Hanger **BZP**

Code	Dove Tail Size	Hole	Erico Caddy	B-Line	Box Quantity	Price 100
HOL2-SC	12-16mm	6mm	SCD12-16		50	
HOL2-LC	17-22mm	6mm	SCD17-22		50	



Concrete Screw **BZP**

Material: Steel

Usage: Suitable for fitting overhead installations and many substrates.

Substrate Applicable: Cracked concrete, non-cracked concrete, hollow core slabs and masonry.

Boxed in 100s

Code	Rod	Size	Price 100
RCS35	M8/M10	35mm Thread	
RCS55	M8/M10	55mm Thread	



Bossed Back Plate **BZP**

Code	Rod	Price Each
DBP8	M8	
DBP10	M10	
DDBP810	M8/10 Dual	



Metal Wall Plugs

Boxed in 100s

Code	Size	Drill Hole Size	To Suit Screw Size	Price 100
SA5	M5 x 30	6mm Red Eq.	8 Gauge (4.2mm)	
SA6	M6 x 32	7mm Brown Eq.	10 Gauge (5mm)	



Wedge Nut (V-NUT) **BZP**

Steel: Mild

Finish: Zinc & Clear

Deck Slot Size: 25mm Tapers to 19mm (width 13mm)

Boxed in 100s

Code	Girder Size	Price 100
IWN6	M6	
IWN8	M8	
IWN10	M10	
IWN12	M12	



Zinc Alloy Driva **BZP**

Material: Zinc Alloy (Steel screw)

Application: Fast simple installation without tool or drilling

Substrate Applicable: Plasterboard, cavity walls, doors & ceilings.

Boxed in 100s

Code	Size	Price 100
MZDRIVA	38mm	
SD	32mm	



Hammer Plug


Material: Steel

Usage: Hammer-in plug for plasterboard, No drilling needed, anchors itself when tightening the screw. Does not rotate on screwing.

Application: For medium fix cavity wall. For woodscrews 6g - 10g.

Boxed in 200s


Code	Size	Price 100
PBG	Hammer Plug (Screw Included) 4 x 30	



Telescopic Box Mounting Bracket

- Easy and fast to install
- Can be used on metal or traditional wood Studs
- Completely adjustable - will fit a range of Stud spacings and will easily allow fitting of 47mm Box up to a total depth of 54mm.
- Pre-punched screw holes for easy box installation.
- Bar is marked with a scale for accurate Stud spacing

Code	Size	Price Each
TWB16	11-18" (280mm - 450mm)	
TWB24	15-26" (380mm - 660mm)	



Catenary Wire Steel

Material: Steel
Finish: Galv
Strand: 7

Code	Type	Price Per Pack
ICW30	3mm x 30m Coil	
ICW50	3mm x 50m Coil	
ICW100	3mm x 100m Drum	
NEW ICW2100	2mm x 100m Drum	




Gripper HangTyte™

Cable Blocker/Gripper

Function:
 Recommended for the suspension of HVAC, electrical and mechanical services
 (For indoor & stationary setting).
Applications:
 Suitable for locking wire rope to insure desired safe working loads.
Technical Data:
 • SMANCA compliance - all products carry a 5:1 Safety Factor
 • As per UL 1598, CSA C22.2 No.250.0-.08
 • Tested & Certified by TUV Nord.

Material Specification:
Housing Type ZA2 Zinc
Locking Mechanism Ball Bearing
Release Mechanism Inbuilt release key
Spring Stainless Steel
Additional Safety Lock Brass
Max Load 565kg
SWL 113kg
Safety Factor 5:1




Code	Wire Size	Price Each
NEW ICWL2	1.5mm - 2.0mm	
ICWL3	2.4mm - 3.2mm	

Loop Wire with ICWL3 Gripper HangTyte™

Wire Rope crimped with pre-formed loop.

Function:
 Recommended for the suspension of HVAC, electrical and mechanical services.
Applications:
 Purlins, beams, roof trusses and other accessible building features.
Technical Data:
 • SMANCA compliance - all products carry a 5:1 safety factor
 • As per UL 1598, CSA C22.2 No.250.0-.08
 • Tested & Certified by TUV Nord.

Material Specification:
Ferrule MS-En8D White Zinc (Hexagonal Crimped)
Wire rope Ms Galvanised IS228, (ASTM-D117)-2016, IS-6745-2011
Max Load 280kg
SWL 56kg
Safety Factor 5:1



Code	Wire Size	Price Each
ICWLS3	7 x 7 Strand 2mm (3 metres)	
ICWLS5	7 x 7 Strand 2mm (5 metres)	

• HangTyte™

Included in our catalogue is an extensive range of catenary wire accessories and wire suspension products. For the most condensed information please use our HangTyte booklet that includes all our catenary wire products and more!

Make sure to check out our full range of HangTyte products today!

Click here to be download our Wire Suspension Systems Brochure!

