


46mm



85mm



21mm





Simple connectivity and control

With the emphasis now on flexibility and ease of installation many building design projects are now focusing on products and services that can adapt to changing legislation, energy efficiency and the ever changing needs of the client.

The Lighting Management System is a new range of additional products to the existing Flow™ range and has been designed specifically to help contractors create more complex lighting installations quickly, easily and safely. It features a number of new products that allow the quick connection, configuration and re-configuration of circuits, primarily intended for lighting.

Flexibility is important as requirements can change and the ability to adapt to these changes quickly and economically is seen as an advantage. The development of this range has evolved as a result of the increasing demand from our customers.

Flow™ is perfect for all types of installations...



inceptor[®]

Inceptor[®] Compatible

The Flow[™] range works perfectly with the Inceptor[®] lighting range, making wiring a lighting circuit easy! All products within the Inceptor[®] lighting range* come pre-wired with both male and female Flow[™] connectors, creating a range of lighting which is quick and easy to install as well as to remove and replace for the purpose of circuit testing.

*excluding the Pico and Pico FG.

BIM

Building Information Modelling

BIM is changing how buildings, infrastructure, and utilities are planned, designed and built. At Scolmore[®] we are committed to support you on and off the job by providing you direct access to our BIM library, which is available on our website, scolmore.com.

 **CLICKsmart**

Dimmable



Complete Control

The Click[®] Smart system makes it easy to adapt and upgrade your installation, offering a smart solution that has at its core, accessibility and simplicity for the end user. Flow[™] products can incorporate wireless switching and dimming scenarios using Click[®] Smart products.

16 Way Lighting Management Box

The 16 Way Flow™ Lighting Management Box has been designed to help contractors create more complex lighting installations quickly, easily and safely. Built-in selectable switching configurations save time in the planning and fitting stages of a project.



Additional output allows interlinking or provides additional way.

CT1016

Suitable for Loads up to 20A

Can be used for more than just lighting.

Ample Fixing Points

Suitable for any method of installation.

Changeable Switch Modes

Built-in selectable switching configurations save time in the planning and fitting stages of a project and if an installation's requirement should change, it can be easily altered to suit.

Controlled and Dimmed

Management boxes can be controlled or dimmed using suitable PIR sensors or mains dimmers.

Durable Heavy Duty Finish

Can withstand all installation requirements.

Additional 8 Ways



Using the CT350 splitter.



flow™



Standards: BS 8488, BS 5733



Switch Configuration	A	B	C	D	S1	S2
2 Way 16 Gang	○	○	○	○		
2 X 8 Gang	○	○	○	○		
1 X 16 Gang	○	○	○	○		

Dimensions

Dimensions: 269mm x 264mm x 69mm

