



Split Load

Metal split load and configurable enclosures, single row from 6 to 16 outgoing ways.

and neutral terminals along with marking labels, busbar and instructions.


For accessories see page 1.14. For dimensions see page 1.22.

Enclosures come supplied with a full metal DIN rail and 2 RCCBs and full complement of earth

Conforms to BS EN 61439-3 Including Annex ZB (16kA rating).

All Design 10 boards contain top, bottom & rear knockouts - see page 1.22.

VML716C



Description	Size	Cat ref.
6 Way Split Load 3+3 100A Switch 2x63A 30mA RCCB	4	VML733H
10 Way Split Load 5+5 100A Switch 2x63A 30mA RCCB	5	VML755H
12 Way Split Load 6+6 100A Switch 2x63A 30mA RCCB	6	VML766H
10 Way Split Load Configurable 100A Switch 2x 63A 30mA RCCB	5	VML710C
16 Way Split Load Configurable 100A Switch 2x 63A 30mA RCCB	7	VML716C
10 Way Split Load 5+5 100A Switch 2x80A 30mA RCCB	5	VML855H
12 Way Split Load 6+6 100A Switch 2x80A 30mA RCCB	6	VML866H
10 Way Split Load Configurable 100A Switch 2x80A 30mA RCCB	5	VML810C
16 Way Split Load Configurable 100A Switch 2x80A 30mA RCCB	7	VML816C



High Integrity


Metal split load and configurable enclosures with ability to protect selected circuits with RCBOs and remainder of circuits split across two RCCBs. Single row from 10 to 16 outgoing ways.

full metal DIN rail and 2 RCCBs and full complement of earth and neutral terminals along with marking labels, busbar and instructions.

For accessories see page 1.14. For dimensions see page 1.22.

All Design 10 boards contain top, bottom & rear knockouts - see page 1.22.

VML878R



Enclosures come supplied with a

Conforms to BS EN 61439-3 Including Annex ZB (16kA rating).

Description	Size	Cat ref.
10 Way High Integrity Split Load Configurable 100A Switch 2x63A 30mA RCCB	5	VML710CU
12 Way High Integrity Split Load Configurable 100A Switch 2x63A 30mA RCCB	6	VML712CU
16 Way High Integrity Split Load Configurable 100A Switch 2x63A 30mA RCCB	7	VML716CU
10 Way High Integrity Split Load Configurable 100A Switch 2x80A 30mA RCCB	5	VML810CU
16 Way High Integrity Split Load Configurable 100A Switch 2x80A 30mA RCCB	7	VML816CU
10 Way High Integrity 5+4+1 100A Switch 2x63A 30mA RCCB + 6A RCBO	5	VML754R
16 Way High Integrity 7+8+1 100A Switch 2x63A 30mA RCCB + 6A RCBO	7	VML778R
10 Way High Integrity 5+4+1 100A Switch 2x80A 30mA RCCB + 6A RCBO	5	VML854R
16 Way High Integrity 7+8+1 100A Switch 2x80A 30mA RCCB + 6A RCBO	7	VML878R
14 Way Split Load 6+6+2 100A Switch 2x80A 30mA RCCB + 40A 30mA RCCB	7	VML8662



Multi Tariff

Metal switch disconnector incomer enclosures, single row, 12 or 18 outgoing ways.

complement of earth and neutral terminals along with marking labels, busbar and instructions.


For accessories see page 1.14. For dimensions see page 1.22.

Enclosures come supplied with a full metal DIN rail, multiple switch disconnector incomers and full

Conforms to BS EN 61439-3 Including Annex ZB (16kA rating).

All Design 10 boards contain top, bottom & rear knockouts - see page 1.22.

VML918C



Description	Size	Cat ref.
18 Way Twin Tariff Configurable 2x100A Switch	7	VML918C
12 Way Multi Tariff 6+5+1 2x100A 1x63A Switch	6	VML9651