

Lockout/Tagout Products

- *Suitable for use on a broad range of circuit breakers*
- *Easy to install and use*
- *Robust and durable*
- *Xenoy high security padlock*
- *Handy carrying case prevents damage and loss*



Many accidents are caused by the unexpected energisation of circuits, machinery and equipment. Such accidents can be prevented by implementing proper Lockout/Tagout procedures. To minimise this type of accident, regulations such as the "Provision and Use of Work Equipment 1998, Section 19 Energy" and the "Electricity at Work Regulations 1989, Regulation 13" require companies to have effective isolation policies in place.

IDEAL Lockout/Tagout devices help to achieve compliance with these regulations.



441.001

A safe and effective method for locking out MCB's found in European installations. The pins fit into the two holes found on many MCB's.



IA-2280

This type of device is ideal for breakers that do not have a built-in locking facility. These are often found in older domestic and commercial installations.



KB-0374

The Grip Tight™ series of lockouts work with many breakers found in industrial environments. This device fits over the toggle and is ideal for use with single and double toggles.



K-8334

This dedicated padlock minimises the risk of confusion with other locks. It has a non-conductive Xenoy body and an appropriately sized shackle diameter. Padlocks are individually keyed.



This larger device locates sideways onto the toggle and is ideal for tall and wide toggles.



KB-0224

This hasp is manufactured from steel and is coated in red plastic. It allows more than one person to lockout a device or installation.



KB-0225

An MCB lockout device that fits both European and Asian devices with toggle openings of 11mm or less. It is simple and easy to use without the need for any special tools.



KB-0228

These durable warning tags have high visibility lettering. They are made from machine-laminated card with non-fade legends and space to clearly identify the owner. Only available in packs of 10 (KB-0235).



KB-0234

A simple but extremely versatile MCB lockout device. This device is particularly useful on MCB's that do not have lock holes on the MCB flanges.



IA-3240

This durable zipped pouch keeps your devices safe and helps to prevent loss.



K-7566

A fast-drying permanent marker that will not smear, allowing you to give clear instructions on the supplied labels.



44-985 UK Contractor LOTO Kit

This kit is aimed at the fully approved contractor working on industrial, commercial and domestic installations. It contains a broad range of devices allowing you to lock off most breakers on the market. It comes in a handy pouch that keeps your kit close to hand and easily accessible. This durable zipped pouch keeps your devices safe and helps to prevent loss.



44-924 UK Domestic Installer LOTO Kit

This kit is aimed at the domestic installer. It contains devices to use on the typical breakers found in domestic installations. This kit also comes in a handy pouch.

44-925 Personal LOTO Kit

This kit contains two of our most popular devices and is aimed at companies wishing to kit out their entire workforce with our low-cost versatile kit.



Kit Contents

	IA-3240	K-8334	KB-0224	KB-0225	KB-0234	KB-0374	K-7566	444.001	IA-2280	KB-0228*
44-985UK	✓	✓	✓		✓	✓	✓	✓	✓	✓ (8)
44-924	✓	✓	✓	✓	✓		✓			✓ (4)
44-925		✓		✓	✓					✓ (1)

*Only available in packs of 10 (KB-0235).

Other Products from IDEAL

SureTest® Installation Tester



- BS7671:2008 (17th Edition) compliant
- Fast non-trip loop test
- Automatically calculates PEFC/PSCC
- Auto RCD mode/ramp test
- Insulation at 250/500/1000V
- Phase sequence indication
- Ultra-lightweight and rugged
- Includes switched probe, full set of test leads, carry case and calibration certificate



61-956 Circuit Tracer



- Works on live or dead cables as well as SWA
- Find cables underground up to 2 metres depth
- Can also work as a fuse finder
- Receiver display rotates automatically for easy viewing

61-766 TightSight™ Clamp Meter



- Dual display allows easy viewing of results
- Measures up to 660 AAC
- Audible continuity
- Max/min, in rush current and data hold
- CAT IV 600V rating
- Two year warranty



61-844EU HeatSeeker™ Thermal Imager



- Easy-to-use maintenance monitoring tool
- Auto hot/cold tracker
- Image blending of thermal and digital
- Troubleshoot potential problems quickly
- Mark images with text and voice annotation

IDEAL INDUSTRIES LIMITED

Unit 3, Europa Court, Europa Boulevard, Westbrook, Warrington, Cheshire, WA5 7TN, UK
Telephone: 01925 44 44 46, Fax: 01925 44 55 01, Email: uksales@idealnwd.com

International offices:

Australia • Brazil • Canada • China • Germany • Mexico • UK

For complete sales office contact information, visit us at:

www.idealindustries.co.uk