

# JC070156

### RadiaLED Rapid body

RadiaLED Rapid Large IP65 Body Only (W/O LED Module)

#### Features & Benefits

- For use with all 12W/16W/24W RadiaLED Rapid modules
- Emergency, microwave and dimmable module options
- 2.5x Faster to install than traditional LED bulkheads
- Detachable terminal, for simple wiring connection
- Multiply cable entry, central and offset rear entry points
- 20mm conduit entry, on top, bottom, sides and rim
- Clip-in tool-less LED gear tray design
- Smooth, even light distribution
- · IK10, maximum impact rating
- IP65 protection against dust and moisture
- 6 rim colour options, including black Eyelid







WARRANTY

### **General Information**

**Product Group** 

Product Range

Trade Name

**IK Rating** 

**Product Shape** 

Additional Information

Mounting

Color Finish

**Overall Dimensions** 

Recommended Product Location

Method Of Fix

IP Rating

Environment

Suitable For Zones

Luminaire Accessories

**LED-Surface** 

**RadiaLED Rapid** 

RadiaLED

IK10

Round

LED modules purchased separately

Wall or ceiling

White

Ø301 x 98.3mm

Suitable for interior and exterior applications for ceiling and wall

mounting

Back screw fix or BESA plate mounting

**IP65** 

**Demanding** 

Suitable for inside Zone 1

JC070203 -4 security screws, JC070204 -Tool for RadiaLED Rapid

Origin of manufacturer		

Warranty

2 years standard warranty extends to 5 years when registered within the first year of purchase (See Website for terms and

conditions) Body must be registered with the module

#### Construction

Primary Material
Outer Diffuser

Polycarbonate Polycarbonate

China


### **Packaging**


Quantity Per Outer Carton
Outer carton(L)- cm
Outer carton(W)- cm
Outer carton(H)- cm
Outer carton overall dimensions

Outer carton overall dimensions
Product Bar Code EAN-13 Number
Outer carton Bar Code ITF-14 Number

## Standards & Approvals

Manufactured In Accordance To
CE Marked
Date code/Purchase order No.
Certificate Of Conformity
Accredited Members





8

72

37

46.5

72 x 37 x 46.5cm 5052544106392

15052544106399

BS EN 60598-2-1

Yes

Yes

Available on request

LIA, ISO9001:2015, ISO14001:2015





JCC Lighting LTD Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex PO22 9TS Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | <a href="mailto:sales@jcc.co.uk">sales@jcc.co.uk</a> | <a href="www.jcc.co.uk">www.jcc.co.uk</a> |

This document is uncontrolled if printed, all information is subject to change

Version 18 [25 Aug 2020]