

Starrett Hole Saws

Carbide Tipped Deep Cut Hole Saws


The new Starrett Carbide Tipped Deep Cut hole saw (CTD) is the perfect solution for repeated intensive drilling in mild and stainless steel, cast iron, aluminium and copper of all thicknesses up to and including 25mm (1"). Starrett CTD hole saws feature three different angles ground on to the cutting face of each tooth on the saw. This three ply tooth grind delivers a fast cut, minimal snag when the saw begins the cut, efficient swarf removal minimising heat build up, and maximum saw life. CTD will power through sheet, stainless steel up to 25mm thickness, enclosures, pipework and structural steel work with either a fixed or portable drill, in a fraction of the time taken by a standard hole saw.

Features and Benefits

- Supplied as one piece with no need for assembly
- Three ply tooth grind on each tooth delivers maximum performance and makes the saw much more robust than two ply equivalents
- Safety stop collar at the base of the saw prevents the saw 'following through' once the cut is complete
- Can be used with fixed or portable drills, mains power or cordless.
- All saws are supplied with an ejector spring to aid ejection of the core from the saw
- Replacement pilot drills are available




Carbide Tipped Deep Cut Hole Saw.



Carbide Tipped Deep Cut Hole Saw Application.

TYPE	Saw Dia	Pack Cont.
CTD15	15mm	1
CTD16	16mm	1
CTD17	17mm	1
CTD18	18mm	1
CTD19	19mm	1
CTD20	20mm	1
CTD21	21mm	1
CTD22	22mm	1
CTD23	23mm	1
CTD24	24mm	1
CTD25	25mm	1
CTD26	26mm	1
CTD27	27mm	1
CTD28	28mm	1
CTD29	29mm	1
CTD30	30mm	1
CTD32	32mm	1
CTD33	33mm	1
CTD34	34mm	1



Starrett Hole Saws

Carbide Tipped Deep Cut Hole Saws

TYPE	Saw Dia	Pack Cont.
CTD35	35mm	1
CTD36	36mm	1
CTD38	38mm	1
CTD39	39mm	1
CTD40	40mm	1
CTD45	45mm	1
CTD50	50mm	1
CTD51	51mm	1
CTD55	55mm	1
CTD60	60mm	1
CTD64	64mm	1
CTD65	65mm	1
CTD70	70mm	1
CTD75	75mm	1
CTD80	80mm	1
CTD85	85mm	1
CTD90	90mm	1
CTD95	95mm	1
CTD100	100mm	1