



## *New Media Modular Plates (Unfurnished)*



The smooth modern lines of the Definity accessory plate will fit easily into traditional and contemporary designs alike.

Definity Screwless New Media modular plates produce a comprehensive yet flexible and user friendly 'system' which enables the installer to easily create topical media and power cabling solutions using any combination of our 25mm x 50mm or 50mm x 50mm media modules.

***New Media Modular Plates (Unfurnished)***

***Product Range***


**Finish Comparison**



**Brushed Steel (BS)**



**Matt Black (BK)**



**Polar White (PW)**



**Polished Chrome (CH)**



**Stainless Steel (SS)**

***New Media Modular Plates (Unfurnished)***

***Product Range***

**New Media Modular Plate Inserts (Unfurnished)**

<b>SIN310</b>	Single Plate Single Aperture Insert
<b>SIN311</b>	Single Plate Twin Aperture Insert
<b>SIN312</b>	Double Plate Quad Aperture Insert



SIN310



SIN311



SIN312

***New Media Modular Plates (Unfurnished)***

***Product Range***

**New Media Cover Plates**


<b>SCP310##</b>	Single Plate Single Aperture Cover Plate
<b>SCP311##</b>	Single Plate Twin Aperture Cover Plate
<b>SCP312##</b>	Double Plate Quad Aperture Cover Plate



SCP310BS




SCP311CH



SCP312BK

***New Media Modular Plates (Unfurnished)***

***Product Dimensional Drawings (mm)***



## New Media Modular Plates (Unfurnished)

### Technical Specification

#### New Media Modular Plates (Unfurnished)

<b>Material Composition</b>	Insert: Polycarbonate
	Earth Terminal: Brass
	Earth Strap: Mild Steel
	Cover Plate: Coated Stainless Steel or Polycarbonate (PW & BK)
<b>Cable Size</b>	Dependent on modules fitted
<b>Back Box Depth</b>	Dependent on modules fitted
<b>Modular</b>	Yes
<b>Warranty</b>	10 Years
<b>IP Rating</b>	IP20
<b>Operational Temperature</b>	-5° to +40°C
<b>Standards</b>	BS 5733 : 2010 + A1 : 2014

#### Additional Information

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.

Interchangeable with modules in the New Media system.



## DECLARATION OF CONFORMITY

1. *Issuer Name* Scolmore International Limited
2. *Issuer Address* 1 Scolmore Park, Landsberg,  
Lichfield Road Industrial Estate,  
Tamworth, Staffordshire, B79 7XB
3. *Object(s) of Declaration* Definity Range
  - a. *Group* New Media Modular Plates (Unfurnished)
  - b. *Model No.* SIN310, SIN311, SIN312
4. *The object of the declaration described above is in conformity with the requirements of the following Legislations:*
5. *All products contained within the aforementioned comply with the relevant standards and requirements listed below.*

BS 5733 : 2010 + A1 : 2014

6. *I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.*

*In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2008*

Signed, for and on behalf of: Scolmore International Limited



Steven Bettson BSc - Senior Technical Support Engineer

# CE 15