


www.hamilton-litestat.com



74C 3GP

Hartland CFX Grid Satin Steel 3 Gang Concealed Fix Grid Fix Aperture Plate with Grid.

Insert Type	Primary Range	Hartland CFX	
Plate Finish Frame Finish Switch Colour Body & Switch Trim Height Double = 86mm Width Double = 145mm Depth Double = 5mm Fixing Hole Centres Box Fixing = 120.6mm Grid Fixing = 106.5mmBox Fixing 120.6mm Grid Fixing = 106.5mm Minimum Wall Box Depth Wattage Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 2 Earth Terminal Capacity 5 Farth Terminal Capacity 5 Farth Terminal Capacity 4 Earth Terminal Capacity 5 Farth Terminal Capacity 5 Farth Terminal Capacity 5 Froduct Class 1 Ambient Operating Temperature Recommended Location Indoor use only CFX is a Registered Trade Mark No 2398667 Hartland Cl			
Switch Colour Body & Switch Trim Height Double = 86mm Double = 145mm Double = 5mm Fixing Hole Centres Box Fixing = 120.6mm Grid Fixing = 106.5mmBox Fixing 120.6mm Grid Fixing = 106.5mm 120.6mm Grid Fixing = 106.5mm Minimum Wall Box Depth Wattage Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 2 Terminal Capacity 4 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 4 Farth Terminal Capacity 5 Foduct Class 1 Ambient Operating Temperature Recommended Location Indoor use only CFX is a Registered Trade Mark No 2398667 Hartland Cl			
Body & Switch Trim Height Double = 86mm Double = 145mm Double = 5mm Fixing Hole Centres Box Fixing = 120.6mm Grid Fixing = 106.5mmBox Fixing 120.6mm Grid Fixing = 106.5mm Minimum Wall Box Depth Wattage Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Terminal Capacity 5 Facth Terminal Capacity 4 Ferninal Capacity 5 Farth Terminal Capacity 5 Farth Terminal Capacity 5 Foduct Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Cl	Frame Finish		
Height Double = 86mm Width Double = 145mm Depth Double = 5mm Fixing Hole Centres Box Fixing = 120.6mm Grid Fixing = 106.5mmBox Fixing 120.6mm Grid Fixing = 106.5mm Minimum Wall Box Depth 35mm Wattage Switched Poles n/a Current Rating Voltage Max load Contact Gap Minimum n/a Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Terminal Capacity 5 Farth Terminal Capacity 5 Forduct Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 1 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 1 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clap	Switch Colour		
Width Depth Double = 145mm Double = 5mm Fixing Hole Centres Minimum Wall Box Depth Wattage Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 1 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval Double = 145mm Double = 5mm Box Fixing = 106.5mmBox Fixing 120.6mm Grid Fixing = 106.5mm 170.6mm Grid Fixing = 106.5mmBox Fixing 120.6mm Grid Fixing = 106.5mm 120.6mm Grid Fixing	Body & Switch Trim		
Depth Double = 5mm Fixing Hole Centres Box Fixing = 120.6mm Grid Fixing = 106.5mmBox Fixing 120.6mm Grid Fixing = 106.5mm Minimum Wall Box Depth 35mm Wattage Switched Poles n/a Current Rating Voltage Max load Contact Gap Minimum n/a Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 1 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 1 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 1 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 2 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade	Height	Double = 86mm	
Fixing Hole Centres Box Fixing = 120.6mm Grid Fixing = 106.5mmBox Fixing 120.6mm Grid Fixing = 106.5mm Minimum Wall Box Depth Wattage Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 1 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 1 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 1 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 2 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3	Width		
Minimum Wall Box Depth Wattage Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 5 Farth Terminal Capacity 5 Earth Terminal Capacity 4 Farth Terminal Capacity 5 Farth Terminal Capacity 5 Farth Terminal Capacity 6 Farth Terminal Capacity 7 Farth Terminal Capacity 8 Farth Terminal Capacity 9 Foduct Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Class 1 CFX is a Registered Trade Mark No 2398667 Hartland Class 1	Depth	Double = 5mm	
Wattage Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 1 Earth Terminal Capacity 1 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Clase 1 CFX is a Registered Trade Mark No 2398667 Hartland Clase 1	Fixing Hole Centres	Box Fixing = 120.6mm Grid Fixing = 106.5mmBox Fixing = 120.6mm Grid Fixing = 106.5mm	
Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 1 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Clase 1 Contact Class 1 Face plate must be earthed CFX is a Registered Trade Mark No 2398667 Hartland Clase 1 CFX is a Registered Trade Mark No 2398667 Hartland Clase 1	Minimum Wall Box Depth	35mm	
Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 1 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 1 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 2 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 2398667 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapacity 3 CFX is a Registered Trade Mark No 239867 Hartland Clapa	Wattage		
Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Class 1 CFX is a Registered Trade Mark No 2398667 Hartland Class 1	Switched Poles	n/a	
Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Class 1 CFX is a Registered Trade Mark No 2398667 Hartland Class 1	Current Rating		
Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Classes 1 CFX is a Registered Trade Mark No 2398667 Hartland Classes 1 Terminal Capacity 5 Terminal Capacity 5 Terminal Capacity 4 Terminal Capacity 5 Terminal Capacity 5 Terminal Capacity 4 Terminal Capacity 5 Terminal Capacity 6 Terminal Capacity 6 Terminal Capacity 7 Terminal Capacity 8 Terminal Capacity 9 Terminal Capac	Voltage		
Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Cf	Max load		
Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Class 1 CFX is a Registered Trade Mark No 2398667 Hartland Class 1 Terminal Capacity 5 Indoor use only	Contact Gap Minimum	n/a	
Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Class 1 CFX is a Registered Trade Mark No 2398667 Hartland Class 1	Terminal Capacity 1		
Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Class 1			
Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Class 1			
Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Cf			
Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Cf			
Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Cf		11mm2	
Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Cf			
Earth Terminal Capacity 5 Product Class 1 Face plate must be earthed Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Cf			
Product Class 1 Face plate must be earthed Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Classes			
Ambient Operating Temperature Recommended Location Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland CFX			
Temperature Recommended Location Indoor use only Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX is a Registered Trade Mark No 239867 Hartland CFX		Face plate must be earthed	
Recommended Location Indoor use only Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland CFX			
Standard/Approval CFX is a Registered Trade Mark No 2398667 Hartland Cf			
CFX is a Registered Trade Mark No 2398667 Hartland Cf		Indoor use only	
	Standard/Approval		
Patents and Trademarks is a Registered Design under Reference Nos. R21 = 3023446 SS2 = 3023445	Patents and Trademarks		

All products listed conform to current British or European standards and the product information is correct at the time of going to press.	All accessories are manufactured under an accredited BS EN ISO 9001 : 2008 Quality System.	It is the policy of the company to continually improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.
Illustrations and diagrams are reproduced within the limitations of reproductions and printing processes are not binding.	Due to manufacturing processes we cannot guarantee an exact colour match and shadings of certain finishes.	Correct as at August 2012 E&OE

R Hamilton & Co Ltd • Quarry Industrial Estate • Mere • Wiltshire • BA12 6LA • UK T: +44 (0)1747 860088 • F: +44 (0)1747 861032 • E: info@hamilton-litestat.com www.hamilton-litestat.com

Directors: R Hamilton • I Hamilton • RL Haines • CP Savory • AMH Hamilton (Secretary) Registered Office: Cedar House • Breckland • Linford Wood • Milton Keynes • MK14 6EX • Buckinghamshire Registered in London No. 941624 • VAT Registration No. 222 6607 84







