





# 20M 1.25MM


## LIGHT INDUSTRIAL CABLE REEL

240V / 13A - E86465

-  **OUTLETS**  
4x 13A
-  **CABLE**  
20M, 1.25mm, 3 Core  
H05-VVF VDE
-  **RATING**  
IP20
-  **STANDARD**  
BSEN 61242: 1998



This light industrial 13A 4 way reel has a strong steel frame providing a secure base. The neon indicator enables users to easily see from a distance when the power is switched on. Also includes a thermal cut out to prevent overheating.







- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 720W
- Max load unwound 3120W

# 25M 1.5MM


## LIGHT INDUSTRIAL CABLE REEL

240V / 16A - E86475

-  **OUTLETS**  
2x 16A
-  **CABLE**  
25M, 1.5mm, 3 Core  
H05-VVF VDE
-  **RATING**  
IP44
-  **STANDARD**  
BSEN 61242: 1998



This light industrial 16A 2 way reel has a strong steel frame providing a secure base. The neon indicator enables users to easily see from a distance when the power is switched on. Also includes a thermal cut out to prevent overheating.







- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 720W
- Max load unwound 3120W

# 25M 1.5MM


## LIGHT INDUSTRIAL CABLE REEL

110V / 16A - E86450

-  **OUTLETS**  
2x 16A
-  **CABLE**  
25M, 1.5mm, 3 Core  
H05-VVF VDE
-  **RATING**  
IP44
-  **STANDARD**  
BSEN 61242: 1998



Defender's best selling 110V reel, this light industrial 16A 2 way reel has a strong steel frame providing a secure base. The neon indicator enables users to easily see from a distance when the power is switched on. Also includes a thermal cut out to prevent overheating.







- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 660W
- Max load unwound 1760W

# 25M 2.5MM


## LIGHT INDUSTRIAL CABLE REEL

110V / 16A - E86455

-  **OUTLETS**  
2x 16A
-  **CABLE**  
25M, 2.5mm, 3 Core  
H05-VVF VDE
-  **RATING**  
IP44
-  **STANDARD**  
BSEN 61242: 1998



This light industrial 16A 2 way reel has lots to offer including 2.5mm 3 core cable for extra safety and a strong steel frame providing a secure base. The neon indicator enables users to easily see from a distance when the power is switched on. Also includes a thermal cut out to prevent overheating, a great benefit to keep users safe during the working day.



- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 660W
- Max load unwound 1760W