

**ESG 9/17 K MC NE WS****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

Similar to illustration



ESG is the tried-and-tested marker in MultiCard format for use on many well-known electrical devices. The result is high-quality device marking with a high-contrast appearance.

Various types are available for devices from manufacturers like Siemens, ABB, Beckhoff etc.

Advantages at a glance:

- Tags for universal usage, self-adhesive or clip-on tags, depending on type
- For aligned equipment, e.g. circuit breakers, we supply ESG markers for clipping onto tag rails
- Individual laser-quality printing according to specifications

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

**General ordering data**

|                    |                                                                                  |
|--------------------|----------------------------------------------------------------------------------|
| Version            | ESG, Device markers x 17 mm, PA 66, Colour: white, Self-adhesive                 |
| Order No.          | <a href="#">1674760000</a>                                                       |
| Type               | ESG 9/17 K MC NE WS                                                              |
| GTIN (EAN)         | 4008190447649                                                                    |
| Qty.               | 200 pc(s).                                                                       |
| compatible printer | <a href="#">2715590000</a> <a href="#">2438520000</a> <a href="#">2438510000</a> |

## ESG 9/17 K MC NE WS

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|            |         |                 |            |
|------------|---------|-----------------|------------|
| Depth      | 0.8 mm  | Depth (inches)  | 0.031 inch |
| Height     | 9 mm    | Height (inches) | 0.354 inch |
| Width      | 17 mm   | Width (inches)  | 0.669 inch |
| Net weight | 0.433 g |                 |            |

## Temperatures

|                             |             |
|-----------------------------|-------------|
| Operating temperature range | -40...60 °C |
|-----------------------------|-------------|

## General data

|                                   |                              |                                              |               |
|-----------------------------------|------------------------------|----------------------------------------------|---------------|
| Adhesive                          | Double-sided adhesive tape   | Application/manufacturer                     | Self-adhesive |
| Colour                            | white                        | Halogen                                      | No            |
| Material                          | PA 66                        | Material colour according to resistance code | 9             |
| Number of markers per combination | 1 MultiCard = Device markers | Number per sheet                             | 40            |
| Operating temperature range       | -40...60 °C                  | Operating temperature range, max.            | 60 °C         |
| Operating temperature range, min. | -40 °C                       | UL 94 flammability rating                    | V-2           |
| Version                           | Self-adhesive                | Width                                        | 17 mm         |

## Device markers

|         |    |
|---------|----|
| Halogen | No |
|---------|----|

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001288    | ETIM 7.0    | EC001288    |
| ETIM 8.0    | EC001288    | ECLASS 9.0  | 27-40-06-29 |
| ECLASS 9.1  | 27-40-06-29 | ECLASS 10.0 | 27-40-06-29 |
| ECLASS 11.0 | 27-28-11-04 | ECLASS 12.0 | 27-28-11-04 |

## Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Downloads

|                             |                                                                                                                            |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Engineering Data            | <a href="#">CAD data – STEP</a>                                                                                            |
| Engineering Data            | <a href="#">WSCAD, Zuken E3.S</a>                                                                                          |
| Product Change Notification | <a href="#">Technical change to MultiCard material - DE</a><br><a href="#">Technical change to MultiCard material - EN</a> |
| Catalogues                  | <a href="#">Catalogues in PDF-format</a>                                                                                   |

### ESG 9/17 K MC NE WS

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

