

**OMNI FILAMENT GLS BULB B22 806LM 7.3W 2700K DIMMABLE 320 BEAM  
CLEAR FULL GLASS INTEGRAL**

ILGLSB22DC055

**Details**

<b>Quick Order Code:</b>	671830
<b>Barcode:</b>	5055788222460
<b>Category:</b>	Lamps
<b>Range Name:</b>	Omni
<b>Product Type:</b>	GLS
<b>Market Segment:</b>	Commercial indoor, Residential indoor
<b>Warranty (Years):</b>	2
<b>CE RoHS:</b>	Yes

**Physical Data**

<b>Product Length (mm):</b>	103
<b>Product Width (mm):</b>	60
<b>Product Weight (g):</b>	44
<b>Material:</b>	Aluminium, Glass
<b>Base Term:</b>	Bayonet cap
<b>Bulb Base:</b>	B22
<b>Construction:</b>	Glass shell, Filament strip, Aluminium base
<b>Globe Finish:</b>	Clear
<b>Globe Type:</b>	GLS
<b>Bulb Fixing:</b>	Pendant, Wall, lamp stand, table lamp
<b>Bulb or Luminaire Shape:</b>	Round
<b>Placement / Application:</b>	Indoor, General Lighting

**Electrical Data**

<b>Power (W):</b>	7.3
<b>Power Consumption (w):</b>	7.3
<b>Power Factor:</b>	0.7
<b>Wattage equivalent (W):</b>	60
<b>Amperage (mA):</b>	55
<b>Dimming:</b>	Dimmable
<b>Driver Included:</b>	Yes
<b>Electric Current:</b>	AC


EN: EN-62560  
LVD Certified: Yes

## Light Data

Luminous Flux in Lumens (lm): 806  
Luminous efficacy (lm/W): 110  
Correlated Colour Temperature (CCT) (K): 2700  
Colour Temperature: 2700K - Warm  
Colour Temperature Name: Warm  
Beam Angle: 320  
Colour Rendering Index (CRI): 80  
Compatible Dimmers: Varilight JQP401W  
Instant on (Less than 1 second): Yes  
LED Type: Filament chip  
Lifetime (hours): 15000  
Switching Cycles: 7500

## Environment

EN: EN-62560  
LVD Certified: Yes  
CE RoHS: Yes  
Energy Rating: A+  
New Energy Rating: E  
Hg 0% (Mercury Free): Yes  
IP Rating (Ingress Protection): IP20  
Lowest Operating Temperature (°C): -20  
Maximum Operating Temperature (°C): 40



## Packaging

Package Weight (g): 50  
Package Length (mm): 65  
Package Width (mm): 65  
Package Depth (mm): 120

[Portal.integral-led.com](http://Portal.integral-led.com)

[Portal.integral-led.com](http://Portal.integral-led.com)

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE