

CANDLE BULB B22 500LM 5.6W 5000K DIMMABLE 240 BEAM FROSTED INTEGRAL

ILCANDB22DF027



This 5.6W retro-fit Integral LED Candle (frosted finish, large bayonet, white base) delivers a dimmable, cool white light and brightness, similar to a 40W filament bulb. It features high output LEDs and an anti-glare refractor. Ideal for living rooms, dining rooms, bedrooms and hotels, in classic or modern wall or floor/table lamp fittings and chandeliers.

Details

Quick Order Code:	369724
Barcode:	5055788202370
Category:	Lamps
Range Name:	Everyday
Product Type:	Candle
Market Segment:	Commercial indoor, Residential indoor
Warranty (Years):	2
CE RoHS:	Yes

Physical Data

Product Length (mm):	112
Product Width (mm):	38
Product Weight (g):	75
Material:	Plastic, Aluminium, Glass, Nickel plated brass
Base Term:	Bayonet cap
Bulb Base:	B22
Construction:	Plastic and Aluminium heat-sink, glass diffuser
Globe Finish:	Frosted
Globe Type:	Candle
Bulb Fixing:	Pendant, Chandelier, Wall
Bulb or Luminaire Shape:	Oval
Placement / Application:	Indoor, General Lighting

Electrical Data

Power (W):	5.6
Power Consumption (w):	5.6
Power Factor:	0.5


Wattage equivalent (W):	42
Amperage (mA):	58
Dimming:	Dimmable
Driver IC Manufacturer:	IWATT
Driver Included:	Yes
Electric Current:	AC
EN:	EN-62560
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (lm):	500
Luminous efficacy (lm/W):	89
Correlated Colour Temperature (CCT) (K):	5000
Colour Temperature:	5000K - Daylight
Colour Temperature Name:	Daylight
Beam Angle:	240
Colour Rendering Index (CRI):	80
Compatible Dimmers:	Varilight JQP401W
Instant on (Less than 1 second):	Yes
LED Type:	Surface mounted device (SMD)
Lifetime (hours):	15000
Switching Cycles:	12500

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
Energy Rating:	A+
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	40



Packaging

Portal.integral-led.com

	96
Package Weight (g):	120
Package Length (mm):	41
Package Width (mm):	41
Package Depth (mm):	2400
Qty per euro pallet:	