

OMNI FILAMENT GLS BULB E27 806LM 6.3W 2700K NON-DIMM 300 BEAM CLEAR INTEGRAL

ILGLSE27NC027



Integral Filament Omni GLS Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in ceiling pendants and fittings where the lamp is exposed. These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

Details

Quick Order Code:	737616
Barcode:	5055788212379
Category:	Lamps
Range Name:	Omni
Product Type:	GLS
Market Segment:	Commercial indoor, Residential indoor
Warranty (Years):	2
CE RoHS:	Yes

Physical Data

Product Length (mm):	108
Product Width (mm):	60
Product Weight (g):	32
Material:	Glass
Base Term:	Edison screw
Bulb Base:	E27
Globe Finish:	Clear
Globe Type:	GLS
Bulb Fixing:	Pendant, Wall, lamp stand, table lamp
Bulb or Luminaire Shape:	Round
Placement / Application:	Indoor, General Lighting

Electrical Data

Power (W):	6.3
Power Consumption (w):	6.3
Power Factor:	0.5
Wattage equivalent (W):	60

Amperage (mA):	50
Dimming:	Non-Dimmable
Driver IC Manufacturer:	Mingwei
Driver Included:	Yes
Electric Current:	AC
EN:	EN-62560
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (lm):	806
Luminous efficacy (lm/W):	128
Correlated Colour Temperature (CCT) (K):	2700
Colour Temperature:	2700K - Warm
Colour Temperature Name:	Warm
Beam Angle:	320, 300
Colour Rendering Index (CRI):	80
Instant on (Less than 1 second):	Yes
LED Type:	Filament chip
Lifetime (hours):	15000
Switching Cycles:	7500

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
Energy Rating:	A++
New Energy Rating:	E
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	40



Packaging

Package Weight (g):

80

Portal.integral-led.com

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE

Package Length (mm):	135
Package Width (mm):	68
Package Depth (mm):	68
Qty per euro pallet:	960