



## Main

Range	PrismaSeT
Range of product	PrismaSeT G PrismaSeT P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT G enclosure PrismaSeT P cubicle PrismaSeT Pack 160 enclosure PrismaSeT Pack 250 enclosure
Type of front plate	Cut-out Modular
Installed device	TeSys: fixed GV2L TeSys: fixed GV2LE TeSys: fixed GV2ME TeSys: fixed GV2P TeSys: fixed GV2RTn Vigilohm: IM20 Vigilohm: IM20H Vigilohm: fixed IM9 Vigilohm: IM9 Vigilohm: fixed IM9-OL Vigilohm: IM9-OL Acti 9: measurement device Multi 9: measurement device Acti 9: fixed modular device <= 40 A Multi 9: fixed modular device <= 40 A Vigirex: RH10 Vigirex: RH197M Vigirex: RH21 Vigirex: RH99
Poles description	9 x 3P: modular rail support: GV2L 9 x 3P: modular rail support: GV2LE 9 x 3P: modular rail support: GV2ME 9 x 3P: modular rail support: GV2P 9 x 3P: modular rail support: GV2RTn

## Complementary

Enclosure/cubicle description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Cubicle - width 650 mm depth 400 mm Pack enclosure - width 555 mm Pack enclosure - width 600 mm
9 mm pitches	48
Number of 18 mm modules per row	24
Number of vertical modules [50 mm]	3
Standards	IEC 61439-1 IEC 61439-2
Product certifications	ASTA
Material	Steel
Surface finish	Matt Textured
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9003)
Height	150 Mm
Width	500 Mm
Net weight	0.54 Kg

Quantity per set	Set of 1
Enclosure/cubicle width	600 mm PrismaSeT G floor-standing enclosure TeSys GV2L fixed 3P 9 direct 3 600 mm PrismaSeT G wall-mounted enclosure TeSys GV2L fixed 3P 9 direct 3 650 mm 400 mm PrismaSeT P cubicle TeSys GV2L fixed 3P 9 direct 3 600 mm PrismaSeT G floor-standing enclosure TeSys GV2LE fixed 3P 9 direct 3 600 mm PrismaSeT G wall-mounted enclosure TeSys GV2LE fixed 3P 9 direct 3 650 mm 400 mm PrismaSeT P cubicle TeSys GV2LE fixed 3P 9 direct 3 600 mm PrismaSeT G floor-standing enclosure TeSys GV2ME fixed 3P 9 direct 3 600 mm PrismaSeT G wall-mounted enclosure TeSys GV2ME fixed 3P 9 direct 3 650 mm 400 mm PrismaSeT P cubicle TeSys GV2ME fixed 3P 9 direct 3 600 mm PrismaSeT G floor-standing enclosure TeSys GV2P fixed 3P 9 direct 3 600 mm PrismaSeT G wall-mounted enclosure TeSys GV2P fixed 3P 9 direct 3 650 mm 400 mm PrismaSeT P cubicle TeSys GV2P fixed 3P 9 direct 3 600 mm PrismaSeT G floor-standing enclosure TeSys GV2RTn fixed 3P 9 direct 3 600 mm PrismaSeT G wall-mounted enclosure TeSys GV2RTn fixed 3P 9 direct 3 650 mm 400 mm PrismaSeT P cubicle TeSys GV2RTn fixed 3P 9 direct 3 600 mm PrismaSeT G floor-standing enclosure Vigilohm 4 3 600 mm PrismaSeT G wall-mounted enclosure Vigilohm 4 3 600 mm PrismaSeT G floor-standing enclosure Vigilohm fixed 6 3 600 mm PrismaSeT G wall-mounted enclosure Vigilohm fixed 6 3 650 mm 400 mm PrismaSeT P cubicle Vigilohm 6 3 650 mm 400 mm PrismaSeT P cubicle Acti 9 measurement device 3 650 mm 400 mm PrismaSeT P cubicle Multi 9 measurement device 3 600 mm PrismaSeT G floor-standing enclosure Acti 9 modular device <= 40 A fixed 48 direct 3 600 mm PrismaSeT G wall-mounted enclosure Acti 9 modular device <= 40 A fixed 48 direct 3 650 mm 400 mm PrismaSeT P cubicle Acti 9 modular device <= 40 A fixed 48 direct 3 600 mm PrismaSeT G floor-standing enclosure Multi 9 modular device <= 40 A fixed 48 direct 3 600 mm PrismaSeT G wall-mounted enclosure Multi 9 modular device <= 40 A fixed 48 direct 3 650 mm 400 mm PrismaSeT P cubicle Multi 9 modular device <= 40 A fixed 48 direct 3 600 mm PrismaSeT G floor-standing enclosure Vigirex 8 direct 3 600 mm PrismaSeT G wall-mounted enclosure Vigirex 8 direct 3 650 mm 400 mm PrismaSeT P cubicle Vigirex 8 3 650 mm 400 mm PrismaSeT P cubicle Vigirex 6 3 555 mm Pack 160 Pack enclosure TeSys GV2L fixed 3P 9 direct 3 555 mm Pack 160 Pack enclosure TeSys GV2LE fixed 3P 9 direct 3 555 mm Pack 160 Pack enclosure TeSys GV2ME fixed 3P 9 direct 3 555 mm Pack 160 Pack enclosure TeSys GV2P fixed 3P 9 direct 3 555 mm Pack 160 Pack enclosure TeSys GV2RTn fixed 3P 9 direct 3 555 mm Pack 160 Pack enclosure Vigilohm 4 3 555 mm Pack 160 Pack enclosure Vigilohm fixed 6 3 600 mm Prisma Pack 250 Pack enclosure Acti 9 modular device <= 40 A fixed 48 direct 6 600 mm Prisma Pack 250 Pack enclosure Multi 9 modular device <= 40 A fixed 48 direct 6 555 mm Pack 160 Pack enclosure Vigirex 8 direct 3

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	539.0 G
Package 1 Height	3.0 Cm
Package 1 width	16.0 Cm
Package 1 Length	51.0 Cm
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Weight	5.575 Kg
Package 2 Height	16.5 Cm
Package 2 width	17.8 Cm
Package 2 Length	52.5 Cm
Unit Type of Package 3	P12
Number of Units in Package 3	180
Package 3 Weight	114.22 Kg
Package 3 Height	45.0 Cm

Package 3 width	80.0 Cm
Package 3 Length	120.0 Cm

### Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
PVC free	Yes
Halogen content performance	Halogen free plastic parts product

### Contractual warranty

Warranty	18 months
----------	-----------

Product Life Status : **Commercialised**